

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 07/01/2015 Date of issue: 07/01/2015

Version: 1.0

**SECTION 1: IDENTIFICATION** 

**Product Identifier Product Form:** Mixture

**Product Name: FAST SHINE - ONE STEP BOAT DETAILER** 

**Product Code:** BP2543742, BPC2543742

**Intended Use of the Product** 

**Protectant** 

Name, Address, and Telephone of the Responsible Party

Company Bass Pro Shops 2500 E. Kearney Springfield, MO 65898

(800)227-7776

www.basspro.com

**Emergency Telephone Number** 

**Emergency Number**: US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

#### SECTION 2: HAZARDS IDENTIFICATION

#### **Classification of the Substance or Mixture**

**Classification (GHS-US)** 

Not classified

**Label Elements** 

**GHS-US Labeling** No labeling applicable

#### **Other Hazards**

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. May cause an allergic reaction in sensitive individuals.

Unknown Acute Toxicity (GHS-US) Not available

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### **Mixture**

| Name                             | Product Identifier | % (w/w)           | Classification (GHS-US)                |
|----------------------------------|--------------------|-------------------|--|
| Isopropyl alcohol                | (CAS No) 67-63-0   | 2.95              | Flam. Liq. 2, H225                     |
|                                  |                    |                   | Eye Irrit. 2A, H319                    |
|                                  |                    |                   | STOT SE 3, H336                        |
| Dimethylol-5,5-dimethylhydantoin | (CAS No) 6440-58-0 | 0.4               | Acute Tox. 4 (Oral), H302              |
| Polytetrafluoroethylene          | (CAS No) 9002-84-0 | 0.01              | Not classified                         |
| 2-Butoxyethanol                  | (CAS No) 111-76-2  | 0.00345 - 0.00405 | Flam. Liq. 4, H227                     |
|                                  |                    |                   | Acute Tox. 4 (Oral), H302              |
|                                  |                    |                   | Acute Tox. 2 (Dermal), H310            |
|                                  |                    |                   | Acute Tox. 3 (Inhalation:vapour), H331 |
|                                  |                    |                   | Skin Irrit. 2, H315                    |
|                                  |                    |                   | Eye Irrit. 2A, H319                    |

Full text of H-phrases: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### **Description of First Aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Call a POISON CENTER or doctor/physician if you feel unwell.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

07/01/2015 O-AOKF-CC EN (English US) 1/10

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

#### **Most Important Symptoms and Effects Both Acute and Delayed**

**General:** None expected under normal conditions of use.

**Inhalation:** May cause respiratory irritation. **Skin Contact:** May cause mild skin irritation. **Eye Contact:** May cause slight irritation to eyes.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

#### **Indication of Any Immediate Medical Attention and Special Treatment Needed**

If you feel unwell, seek medical advice (show the label where possible).

#### SECTION 5: FIRE-FIGHTING MEASURES

#### **Extinguishing Media**

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

**Explosion Hazard:** Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

#### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Do not breathe fumes from fires or vapors from decomposition. Do not allow run-off from firefighting to enter drains or water courses.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>).

#### **Reference to Other Sections**

Refer to section 9 for flammability properties.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions, Protective Equipment and Emergency Procedures**

General Measures: No special measures required.

**For Non-Emergency Personnel** 

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

**For Emergency Personnel** 

Protective Equipment: Equip cleanup crew with proper protection.

**Emergency Procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so. Ventilate area.

#### **Environmental Precautions**

Prevent entry to sewers and public waters.

#### **Methods and Material for Containment and Cleaning Up**

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material, then place in suitable container. Contact competent authorities after a spill.

#### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see item 13.

#### SECTION 7: HANDLING AND STORAGE

#### **Precautions for Safe Handling**

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

07/01/2015 O-AOKF-CC EN (English US) 2/10

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Reducing agents. Acetaldehyde. Chlorine. Ethylene oxide. Isocyanates.

**Specific End Use(s)** Protectant

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

| kopropyl alcohol (67-63-0) |   |  |
|----------------------------|---|--|
| USA ACGIH                  | ACGIH TWA (ppm)                                   | 200 ppm                                |
| USA ACGIH                  | ACGIII TWA (ppin) ACGIII STEL (ppin)              | 400 ppm                                |
| USA ACGIH                  | ACGIH chemical category                           | Not Classifiable as a Human Carcinogen |
| USA OSHA                   | OSHA PEL (TWA) (mg/m³)                            | 980 mg/m <sup>3</sup>                  |
| USA OSHA                   | OSHA PEL (TWA) (mg/m/) OSHA PEL (TWA) (ppm)       | 400 ppm                                |
| USA NIOSH                  | NIOSH REL (TWA) (mg/m³)                           | 980 mg/m <sup>3</sup>                  |
| USA NIOSH                  |   |  |
|                            | NIOSH REL (TWA) (ppm)<br>NIOSH REL (STEL) (mg/m³) | 400 ppm<br>1225 mg/m <sup>3</sup>      |
| USA NIOSH                  |   |  |
| USA NIOSH                  | NIOSH REL (STEL) (ppm)                            | 500 ppm                                |
| USA IDLH                   | US IDLH (ppm)                                     | 2000 ppm (10% LEL)                     |
| Alberta                    | OEL STEL (mg/m³)                                  | 984 mg/m <sup>3</sup>                  |
| Alberta                    | OEL STEL (ppm)                                    | 400 ppm                                |
| Alberta                    | OELTWA (mg/m³)                                    | 492 mg/m <sup>3</sup>                  |
| Alberta                    | OELTWA (ppm)                                      | 200 ppm                                |
| British Columbia           | OEL STEL (ppm)                                    | 400 ppm                                |
| British Columbia           | OEL TWA (ppm)                                     | 200 ppm                                |
| Manitoba                   | OEL STEL (ppm)                                    | 400 ppm                                |
| Manitoba                   | OEL TWA (ppm)                                     | 200 ppm                                |
| New Brunswick              | OEL STEL (mg/m³)                                  | 1230 mg/m³                             |
| New Brunswick              | OEL STEL (ppm)                                    | 500 ppm                                |
| New Brunswick              | OEL TWA (mg/m³)                                   | 983 mg/m <sup>3</sup>                  |
| New Brunswick              | OEL TWA (ppm)                                     | 400 ppm                                |
| Newfoundland & Labrador    | OEL STEL (ppm)                                    | 400 ppm                                |
| Newfoundland & Labrador    | OEL TWA (ppm)                                     | 200 ppm                                |
| Nova Scotia                | OEL STEL (ppm)                                    | 400 ppm                                |
| Nova Scotia                | OEL TWA (ppm)                                     | 200 ppm                                |
| Nunavut                    | OEL STEL (mg/m³)                                  | 1228 mg/m <sup>3</sup>                 |
| Nunavut                    | OEL STEL (ppm)                                    | 500 ppm                                |
| Nunavut                    | OEL TWA (mg/m³)                                   | 983 mg/m³                              |
| Nunavut                    | OELTWA (ppm)                                      | 400 ppm                                |
| Northwest Territories      | OEL STEL (mg/m³)                                  | 1228 mg/m³                             |
| Northwest Territories      | OEL STEL (ppm)                                    | 500 ppm                                |
| Northwest Territories      | OEL TWA (mg/m³)                                   | 983 mg/m <sup>3</sup>                  |
| Northwest Territories      | OEL TWA (ppm)                                     | 400 ppm                                |
| Ontario                    | OEL STEL (ppm)                                    | 400 ppm                                |
| Ontario                    | OEL TWA (ppm)                                     | 200 ppm                                |
| Prince Edward Island       | OEL STEL (ppm)                                    | 400 ppm                                |
| Prince Edward Island       | OEL TWA (ppm)                                     | 200 ppm                                |
| Québec                     | VECD (mg/m³)                                      | 1230 mg/m <sup>3</sup>                 |

07/01/2015 O-AOKF-CC EN (English US) 3/10

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

| 041                         | VECD ()                     | T00   |
|-----------------------------|-----------------------------|---|
| Québec                      | VECD (ppm)                  | 500 ppm   |
| Québec                      | VEMP (mg/m³)                | 985 mg/m <sup>3</sup>   |
| Québec                      | VEMP (ppm)                  | 400 ppm   |
| Saskatchewan                | OEL STEL (ppm)              | 400 ppm   |
| Saskatchewan                | OEL TWA (ppm)               | 200 ppm   |
| Yukon                       | OEL STEL (mg/m³)            | 1225 mg/m <sup>3</sup>  |
| Yukon                       | OEL STEL (ppm)              | 500 ppm   |
| Yukon                       | OEL TWA (mg/m³)             | 980 mg/m <sup>3</sup>   |
| Yukon                       | OELTWA (ppm)                | 400 ppm   |
| Polytetrafluoroethylene (90 | 02-84-0)                    |   |
| Québec                      | VEMP (mg/m³)                | 2.5 mg/m³ (decomposition products; determine quantitatively the decomposition products in the air and express the results as Fluorides) |
| 2-Butoxyethanol (111-76-2)  |                             |   |
| USA ACGIH                   | ACGIH TWA (ppm)             | 20 ppm  |
| USA ACGIH                   | ACGIH chemical category     | Confirmed Animal Carcinogen with Unknown Relevance to   |
|                             |                             | Humans  |
| USA OSHA                    | OSHA PEL (TWA) (mg/m³)      | 240 mg/m <sup>3</sup>   |
| USA OSHA                    | OSHA PEL (TWA) (ppm)        | 50 ppm  |
| USA OSHA                    | Limit value category (OSHA) | prevent or reduce skin absorption   |
| USA NIOSH                   | NIOSH REL (TWA) (mg/m³)     | 24 mg/m <sup>3</sup>  |
| USA NIOSH                   | NIOSH REL (TWA) (ppm)       | 5 ppm   |
| USA IDLH                    | US IDLH (ppm)               | 700 ppm   |
| Alberta                     | OELTWA (mg/m³)              | 97 mg/m <sup>3</sup>  |
| Alberta                     | OELTWA (ppm)                | 20 ppm  |
| British Columbia            | OEL TWA (ppm)               | 20 ppm  |
| Manitoba                    | OELTWA (ppm)                | 20 ppm  |
| New Brunswick               | OELTWA (mg/m³)              | 121 mg/m <sup>3</sup>   |
| New Brunswick               | OELTWA (ppm)                | 25 ppm  |
| Newfoundland & Labrador     | OELTWA (ppm)                | 20 ppm  |
| Nova Scotia                 | OELTWA (ppm)                | 20 ppm  |
| Nunavut                     | OEL STEL (mg/m³)            | 360 mg/m <sup>3</sup>   |
| Nunavut                     | OEL STEL (ppm)              | 75 ppm  |
| Nunavut                     | OELTWA (mg/m³)              | 120 mg/m³   |
| Nunavut                     | OEL TWA (ppm)               | 25 ppm  |
| Northwest Territories       | OEL STEL (mg/m³)            | $360 \text{ mg/m}^3$  |
| Northwest Territories       | OEL STEL (ppm)              | 75 ppm  |
| Northwest Territories       | OEL TWA (mg/m³)             | 120 mg/m <sup>3</sup>   |
| Northwest Territories       | OELTWA (ppm)                | 25 ppm  |
| Ontario                     | OELTWA (ppm)                | 20 ppm  |
| Prince Edward Island        | OELTWA (ppm)                | 20 ppm  |
| Québec                      | VEMP (mg/m³)                | 97 mg/m <sup>3</sup>  |
| Québec                      | VEMP (ppm)                  | 20 ppm  |
| Saskatchewan                | OELSTEL (ppm)               | 30 ppm  |
| Saskatchewan                | OELTWA (ppm)                | 20 ppm  |
| Yukon                       | OEL STEL (mg/m³)            | 720 mg/m <sup>3</sup>   |
| Yukon                       | OEL STEL (mg/m²)            |   |
| Yukon                       | OEL TWA (mg/m³)             | 150 ppm<br>240 mg/m <sup>3</sup>  |
| Yukon                       | OELTWA (nig/ni-)            | 50 ppm  |
| LUMII                       | OEL I WA (PPIII)            | յս ինա  |

 07/01/2015
 O-AOKF-CC
 EN (English US)
 4/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

#### **Exposure Controls**

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Not generally required. The use of personal protective equipment may be necessary as conditions warrant.

Materials for Protective Clothing: Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eve Protection:** Chemical goggles or safety glasses.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### **Information on Basic Physical and Chemical Properties**

**Physical State** Liquid **Appearance Light Blue Odor Pleasant** Not available **Odor Threshold** 

рH

**Evaporation Rate** Not available **Melting Point** Not available **Freezing Point** Not available > 100 °C (212 °F) **Boiling Point Flash Point**  $> 100 \, ^{\circ}\text{C} (212 \, ^{\circ}\text{F})$ **Auto-ignition Temperature** Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not available **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20 °C Not available **Relative Density** Not available **Specific Gravity** 0.995 (at 20°C) **Solubility** Soluble. **Partition Coefficient: N-Octanol/Water** Not available

**Explosion Data – Sensitivity to Mechanical Impact** Not expected to present an explosion hazard due to mechanical impact. **Explosion Data - Sensitivity to Static Discharge** Not expected to present an explosion hazard due to static discharge.

Not available

#### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Hazardous reactions will not occur under normal conditions.

**Chemical Stability:** Stable under normal conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Incompatible materials.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Reducing agents, Acetaldehyde. Chlorine. Ethylene oxide.

Isocyanates.

Viscosity

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Hydrocarbons.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

Acute Toxicity: Not classified **ID50 and IC50 Data:** Not available Skin Corrosion/Irritation: Not classified

07/01/2015 O-AOKF-CC EN (English US) 5/10

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**pH**: 5

Serious Eye Damage/Irritation: Not classified

**pH**: 5

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

**Teratogenicity:** Not classified **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

**Reproductive Toxicity:** Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** May cause respiratory irritation. **Symptoms/Injuries After Skin Contact:** May cause mild skin irritation. **Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

#### Information on Toxicological Effects - Ingredient(s)

ID50 and IC50 Data:

| kopropyl alcohol (67-63-0)                   |                                   |  |
|--|-----------------------------------|--|
| ID50 Oral Rat                                | 4710 mg/kg                        |  |
| ID50 Dermal Rabbit                           | 4059 mg/kg                        |  |
| IC50 Inhalation Rat                          | 72.6 mg/l/4h (Exposure time: 4 h) |  |
| Dimethylol-5,5-dimethylhydantoin (6440-58-0) |                                   |  |
| ID50 Oral Rat                                | 1572 mg/kg                        |  |
| 2-Butoxyethanol (111-76-2)                   |                                   |  |
| ID50 Oral Rat                                | 470 mg/kg                         |  |
| ID50 Dermal Rat                              | 220 mg/kg                         |  |
| ID50 Dermal Rabbit                           | 99 mg/kg                          |  |
| IC50 Inhalation Rat                          | 450 ppm/4h                        |  |
| ATE US (vapors)                              | 3.84 mg/l/4h                      |  |
| kopropyl alcohol (67-63-0)                   |                                   |  |
| IARC Group                                   | 3                                 |  |
| Polytetrafluoroethylene (9002-84-0)          |                                   |  |
| IARC Group                                   | 3                                 |  |
| 2-Butoxyethanol (111-76-2)                   |                                   |  |
| IARC Group                                   | 3                                 |  |

#### SECTION 12: ECOLOGICAL INFORMATION

**Toxicity** No additional information available

| kopropyl alcohol (67-63-0)                   |   |  |
|--|---|--|
| IC50 Fish 1                                  | 9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |  |
| EC50 Daphnia 1                               | 13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)                     |  |
| EC50 Other Aquatic Organisms 1               | 1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)            |  |
| IC 50 Fish 2                                 | 11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])      |  |
| EC50 Other Aquatic Organisms 2               | 1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)            |  |
| Dimethylol-5,5-dimethylhydantoin (6440-58-0) |   |  |
| IC50 Fish 1                                  | 514 mg/l (Freshwater [96h static] Species: Oncorhynchus mykiss)               |  |
| 2-Butoxyethanol (111-76-2)                   |   |  |
| LC50 Fish 1                                  | 1490 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])       |  |
| EC50 Daphnia 1                               | 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)                      |  |
| IC 50 Fish 2                                 | 2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)                |  |

07/01/2015 O-AOKF-CC EN (English US) 6/10

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

### **Persistence and Degradability**

| FAST SHINE - ONE STEP BOAT DETAILER |                  |
|-------------------------------------|------------------|
| Persistence and Degradability       | Not established. |

#### **Bioaccumulative Potential**

| Diouceumment of Otolical            |                  |  |
|-------------------------------------|------------------|--|
| FAST SHINE - ONE STEP BOAT DETAILER |                  |  |
| Bioaccumulative Potential           | Not established. |  |
| kopropyl alcohol (67-63-0)          |                  |  |
| Log Pow                             | 0.05 (at 25 °C)  |  |
| 2-Butoxyethanol (111-76-2)          |                  |  |
| Log Pow                             | 0.81 (at 25 °C)  |  |
|                                     |                  |  |

**Mobility in Soil** Not available

**Other Adverse Effects** 

Other Information: Avoid release to the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

**Sewage Disposal Recommendations:** Do not empty into drains; dispose of this material and its container in a safe way.

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

#### SECTION 14: TRANSPORT INFORMATION

#### In Accordance With ICAO/IATA/DOT/TDG/IMDG

UN NumberNot regulated for transportUN Proper Shipping NameNot regulated for transport

**Transport Hazard Class(es)** 

**Additional Information** Not available

**Transport by sea Air transport**Not regulated for transport

Not regulated for transport

Marine Pollutant No

#### SECTION 15: REGULATORY INFORMATION

#### **US Federal Regulations**

| kopropyl alcohol (67-63-0)  |  |  |
|---|--|--|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |  |
|   |  |  |
| T - T - indicates a substance that is the subject of a Section 4 test     |  |  |
| rule under TSCA.  |  |  |
| 1.0 % (only if manufactured by the strong acid process, no supplier       |  |  |
| notification)   |  |  |
| Dimethylol-5,5-dimethylhydantoin (6440-58-0)                              |  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |  |
| Polytetrafluoroethylene (9002-84-0)                                       |  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |  |
| 2-Butoxyethanol (111-76-2)  |  |  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |  |  |
|   |  |  |

#### **US State Regulations**

#### **Isopropyl alcohol (67-63-0)**

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- **U.S. Connecticut Volatile Substances**
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations

07/01/2015 O-AOKF-CC EN (English US) 7/10

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AAIs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AAIs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- **U.S. Oregon Permissible Exposure Limits TWAs**
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas City of Austin Aerosol Paint and Glue Restrictions
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- **U.S. Vermont Permissible Exposure Limits STELs**
- U.S. Vermont Permissible Exposure Limits TWAs
- **U.S. Washington Permissible Exposure Limits STELs**
- U.S. Washington Permissible Exposure Limits TWAs

#### Polytetrafluoroethylene (9002-84-0)

- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### 2-Butoxyethanol (111-76-2)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Groundwater Quality Standards
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits Skin Designations
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Chemicals of High Concern

07/01/2015 O-AOKF-CC EN (English US) 8/10

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits Skin Designations
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AAIs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits Skin Designations
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits Skin Designations
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- **U.S. Tennessee Occupational Exposure Limits Skin Designations**
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- **U.S.** Vermont Permissible Exposure Limits Skin Designations
- **U.S. Vermont Permissible Exposure Limits TWAs**
- U.S. Washington Permissible Exposure Limits Skin Designations
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

| Canadian Regulations                |  |  |
|-------------------------------------|--|--|
| FAST SHINE - ONE STEP BOAT DETAILER |  |  |
| WHMIS Classification                | Uncontrolled product according to WHMIS classification criteria                                    |  |
| kopropyl alcohol (67-63-0)          |  |  |
| Listed on the Canadian DSL (D       | Oomestic Substances List)  |  |
| Listed on the Canadian IDL (In      | gredient Disclosure List)  |  |
| <b>IDL Concentration 1 %</b>        |  |  |
| WHMIS Classification                | Class B Division 2 - Flammable Liquid  |  |
|                                     | Class D Division 2 Subdivision B - Toxic material causing other toxic effects                      |  |
| Dimethylol-5,5-dimethylhyda         | antoin (6440-58-0)   |  |
| Listed on the Canadian DSL (D       | Oomestic Substances List)  |  |
| WHMIS Classification                | Uncontrolled product according to WHMIS classification criteria                                    |  |
| Polytetrafluoroethylene (900        | 2-84-0)  |  |
| Listed on the Canadian DSL (D       | Oomestic Substances List)  |  |
| WHMIS Classification                | Uncontrolled product according to WHMIS classification criteria                                    |  |
| 2-Butoxyethanol (111-76-2)          |  |  |
| Listed on the Canadian DSL (D       | Oomestic Substances List)  |  |
| Listed on the Canadian IDL (In      | gredient Disclosure List)  |  |
| <b>DL Concentration 1 %</b>         |  |  |
| WHMIS Classification                | Class B Division 3 - Combustible Liquid  |  |
|                                     | Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects |  |
|                                     | Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects      |  |
|                                     | Class D Division 2 Subdivision B - Toxic material causing other toxic effects                      |  |

07/01/2015 O-AOKF-CC EN (English US) 9/10

**Safety Data Sheet** 

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

#### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 07/01/2015

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

#### **GHS Full Text Phrases:**

| Acute Tox. 2 (Dermal) | Acute toxicity (dermal) Category 2                          |
|-----------------------|---|
| Acute Tox. 4 (Oral)   | Acute toxicity (oral) Category 4                            |
| Eye Irrit. 2A         | Serious eye damage/eye irritation Category 2A               |
| Flam. Liq. 2          | Flammable liquids Category 2                                |
| Flam. Liq. 4          | Flammable liquids Category 4                                |
| Skin Irrit. 2         | Skin corrosion/irritation Category 2                        |
| Skin Sens. 1          | Skin sensitization Category 1                               |
| Skin Sens. 1B         | Skin sensitization Category 1B                              |
| STOT SE 3             | Specific target organ toxicity (single exposure) Category 3 |
| H225                  | Highly flammable liquid and vapor                           |
| H227                  | Combustible liquid  |
| H302                  | Harmful if swallowed  |
| H310                  | Fatal in contact with skin                                  |
| H315                  | Causes skin irritation                                      |
| Н319                  | Causes serious eye irritation                               |
| H331                  | Toxic if inhaled  |
| Н336                  | May cause drowsiness or dizziness                           |


NFPA Health Hazard : 0 - Exposure under fire conditions would offer no hazard

beyond that of ordinary combustible materials.

NFPA Fire Hazard : 1 - Must be preheated before ignition can occur.

**NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



#### Party Responsible for the Preparation of This Document

**Bass Pro Shops** 

Phone Number: (800)227-7776

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS

07/01/2015 O-AOKF-CC EN (English US) 10/10